

DHI-LPH75-SC470

75 inch Smart interactive whiteboard



Series Overview

Dahua DeepHub Smart Interactive Whiteboard for Education has powerful processing capabilities with its 8-core CPU, 8 GB RAM and 128 GB ROM capacity. Equipped with a $\varphi 2$ mm high-precision IR frame and 4K high-definition DLED, this series of whiteboards will give you an extraordinary experience whether you are writing, controlling or displaying content. It features wireless screen sharing, file management, high-definition display, Scan & Go, and more. You can rely on this whiteboard to modernize your classrooms.

Functions

Hidden Antenna Design

The Wi-Fi and hotspot antenna is neatly concealed in the front of the device, ensuring the stability of the signal strength when using a flush mount, and giving the device its simple and sleek appearance.

Screen Sharing

The content on your screen can be freely shared with one other device through a wired connection.

Wireless Screen Sharing

In addition to basic file sharing, the device offers wireless screen sharing, interactive operations between two screens, and reverse transmissions. It also supports screen grouping (multiple transmission), host mode (for overall permission control), real-time transmission of images, videos and audios from the wireless camera of the mobile phone to the device, and split-screen mode that displays up to 9 splits on the same screen.

- 75-inch 4K DLED display with Zero Air Gap technology that delivers a clear image in sharp, vivid colors.
- Wireless screen sharing from multiple devices with an intuitive, easy-to-use system.
- •1 physical front power button.
- Multiple ports and front full-featured Type-C supports 65 W charging.
- · Smooth writing experience that supports handwriting recognition.
- Quick file sharing by scanning a QR code, with easy file encryption for added privacy and security.
- · Switches between Android and Windows, and OPS module is optional.
- Build_in 13MP resolution camera .

Similar to Real Writing Experience

The electronic whiteboard supports pen-point writing. It comes equipped with specialized pressure-sensitive writing pens, designed to enhance the writing experience. With its soft, comfortable nib, writing on the whiteboard feels natural, similar to the real writing experience.

Easy to Share

Enhances the experience of sharing files by scanning a code. It automatically determines the network of the device to readily share the QR code across the extranet and the intranet. QR code encryption and extraction are also featured, providing privacy and data security through the required entry of a 6-digit password for verification.

File Management

Supports managing and using Office files, image, video and audio files, and file formats such as PDF and TXT.

Scene

The whiteboard is ideal for indoor sites such as meeting rooms and classrooms.

Technical Specification		Function	
Built-in System		IR Receiver	Yes
Operating System	Android 11	Bluetooth	Bluetooth 5.0
CPU	Quad-core A73 + Quad-core A53	Wi-Fi	WIFI 5, 2.4 GHz/5 GHz; Integrated Wi-Fi 802.11 a/b/g/n/ac
CPU Frequency	2.2GHz + 2.0GHz	Wireless Access Point	WIFI 5, 2.4 GHz/5 GHz;
GPU	ARM Mali-G52 MP8 (8EE)		WII1 5, 2.4 GHZ/5 GHZ,
RAM	8 GB	Touchscreen	
ROM	128 GB	Touch Technology Type	Infrared touch technology
LCD Panel		Attachment Method	Zero Air Gap
Panel Dimensions	75 inch	Response Time	≤10 ms
Backlight	DLED	Touch Points	Android: 20, Windows: 40
Aspect Ratio	16:09	Touch Accuracy	± 1 mm (0.04") (over 90% area)
Brightness	350 cd/m² (typ.)	Valid Touch	2 mm (0.08")
Static Contrast	IPS: 1200 (typ.)	Touch Height	3 mm (0.12")
Resolution	3840 × 2160	Writing Mode	Finger + Pen
Viewing Angle	178°(H) / 178°(V)	Communication Mode	USB
Lifespan	50,000 hours	Anti-light Interference	Anti-dazzle tempered glass
Display Color	1.07 B/10 bit (8 bit + FRC)	Surface Hardness	8H
Response Time	8ms (typ.)		32767 × 32767
Refresh Rate	60 Hz	Touch Resolution	32/0/ × 32/0/
Build-in Camera		Speaker	
Build-in Camera	13 MP	Built-in Speaker	2
Auto Control	Auto white balance	Power	2.0 channel front-end: 2 × 15 W (Ma×.)
Distortion	-8.6%	Frequency	20 kHz–200 kHz
Max. Resolution	4160x3120	Microphone	
Field of View	85.4±3°	Microphone	Carroy
Device Ports			6-array
Light Sensor	Yes	Pick-up Distance	6 m-10 m (19.69 ft-32.81 ft)
Front Button	1 buttons (power)	AGC	Yes
NFC	NFC x 1	Echo Cancellation	Yes
Front Ports	Type C × 1 (4K@60 Hz, Touch, 65 W) HDMI In × 1 (4K@60 Hz) USB 3.0 Type-B × 1 (Touch) USB 3.0 Type A × 2	Polar Pattern	Omni-directional
		Intelligent Noise Filtering	Yes
Rear Port	Type C × 1 (4K@60 Hz, Touch, 15 W) HDMI In × 2 (4K@60 Hz) VGA In × 1 (1080p@60 Hz) DP In × 1 (4K@60 Hz) USB 3.0 Type-B × 3 (Touch) HDMI Out × 1 USB 3.0 Type A × 2 USB 2.0 Type A × 1 TF Card × 1 RS-232 × 1 RJ-45 In × 1,RJ-45 Out × 1 Audio In × 1 (3.5 mm port, used to play sound with VGA) Mic In × 1 (3.5 mm port) Audio Out × 1 (3.5 mm port) SPDIF Out × 1 (Optical port)	General	
		Power Supply	100-240 VAC, 50/60 Hz
		Power Consumption	75-inch: 150 W (typ.); 350 W (ma×.);
		Standby Power Consumption	≤0.5 W
		Operating Temperature	0 °C to +40 °C (+32 °F to +104 °F)
		Storage Temperature	-10 °C to +50 °C (+14 °F to +122 °F)
		Operating Humidity	10%–90% (RH)
		operating framidity	10,0 30,0 (111)

OPS slot × 1

Storage Humidity	10%-90% (RH)	
Product Material	Metal	
Glass	3.2 mm Anti-dazzle tempered glass	
Casing Color (Frame/Rear)	Bottom/top/left/right: black; black; black: black	
Product Dimensions	75-inch: 1721.9mm x 87.4mm x 1023mm (67.22" x 3.66" x 41.34")	
Packaging Dimensions	75-inch: 1,880.0 mm × 280.0 mm × 1,160.0 mm (70.87" × 7.87" × 45.87")	
Net Weight	75-inch: 54 kg (119.05 lb)	
Gross Weight	75-inch: 68 kg (149.92 lb)	
Holes Distance	75-inch: 800 mm × 400 mm (31.50" × 15.75")	
Installation	Wall mount; mobile bracket	
Packing List	Smart interactive whiteboard × 1 Power cord × 1 Passive stylus pen × 2 HDMI cable × 1 USB touch cable × 1 Wall mount bracket (already installed on the whiteboard) × 1 Accessory package × 1 Remote control × 1	
Certification		
Certifications	CE	

Dimensions (mm[inch])

Installation

